



READY TO USE
DISINFECTANT CLEANER & DEODORIZER

Reference Sheet

Manufactured by:
Virox Technologies Inc.
Oakville, ON Canada L6H 6R1
Questions? Comments?
1-800-387-7578 | virox.com



FOR VETERINARY USE

For use in animal health facilities and areas. For disinfection and cleaning of hard, non-porous surfaces found in animal premises facilities such as veterinary clinics and offices, animal shelters, kennels, treatment facilities, transportation vehicles, pet grooming facilities and pet shops.

VIRUCIDAL IN 1 MINUTE

Adenovirus Type 8
Avian Influenza A Virus (H3N2)
Avian Influenza A Virus (H7N9)
Avian Reovirus
Canine Distemper Virus
Canine Influenza A Virus (H3N2)
Canine Parvovirus
Cytomegalovirus
Feline Calicivirus
Feline Herpes Virus (Feline Rhinotracheitis)
Feline Infectious Peritonitis Virus (FIPV)
Feline Leukemia Virus (FeLV)
Feline Panleukopenia Virus
Herpes Simplex Virus Type 1
Herpes Simplex Virus Type 2
HIV Type 1 (Strain HTLV III_B)
Human Coronavirus
Human Hepatitis B Virus (HBV)
Human Hepatitis C Virus (HCV)
Influenza A Virus (Strain A/8/68)
Influenza B Virus
Newcastle Disease Virus
Norovirus (Feline Calicivirus as the surrogate)
Pandemic Influenza A Virus H1N1
Parainfluenza Virus Type 3
Poliovirus Type 1 (Strain Chat)
Pseudorabies Virus
Respiratory Syncytial Virus (RSV)
Rhinovirus Type 37
Rotavirus (Strain WA)
SARS-CoV-2 (the virus that causes COVID-19)
(SARS-Related Coronavirus 2)
Vaccinia Virus

This product has demonstrated effectiveness against SARS-CoV-2 (the virus that causes COVID-19) (SARS-Related Coronavirus 2).

Proven effectiveness against Poliovirus Type 1 which allows for a Broad-Spectrum Virucide claim against most enveloped and non-enveloped viruses.

BACTERICIDAL IN 1 MINUTE

Acinetobacter baumannii (Multi-Drug Resistant (MDR))
Bordetella bronchiseptica
Bordetella pertussis
Burkholderia cepacia
Enterobacter aerogenes
Enterobacter cloacae (New Delhi metallo- β -lactamase 1 (NDM-1))
Enterococcus faecalis (Vancomycin Resistant (VRE))
Enterococcus faecium
Escherichia coli
Escherichia coli O157:H7
Escherichia coli (Extended Spectrum β -lactamase (ESBL))
Escherichia coli (New Delhi metallo- β -lactamase 1 (NDM-1))
Klebsiella pneumoniae
Klebsiella pneumoniae (Carbapenem Resistant (CRE))
Klebsiella pneumoniae (Extended Spectrum β -lactamase (ESBL))
Klebsiella pneumoniae (New Delhi metallo- β -lactamase 1 (NDM-1))
Legionella pneumophila
Listeria monocytogenes
Pasteurella multocida
Pseudomonas aeruginosa
Pseudomonas aeruginosa (Metallo- β -lactamase (MBL) positive)
Salmonella enterica (formerly known as *Salmonella choleraesuis*)
Serratia marcescens
Shigella dysenteriae
Staphylococcus aureus
Staphylococcus aureus (Community Acquired Methicillin Resistant Genotype USA 400)
Staphylococcus aureus (Methicillin Resistant (MRSA))
Staphylococcus aureus (Vancomycin Intermediate Resistant (VISA))
Staphylococcus aureus (Vancomycin Resistant (VRSA))
Staphylococcus epidermidis (Methicillin Resistant (MRSE))
Staphylococcus pseudintermedius
Stenotrophomonas (Pseudomonas) maltophilia
Streptococcus pneumoniae (Penicillin Resistant (PRSP))
Streptococcus pyogenes

FUNGICIDAL IN 1 MINUTE

Candida albicans
Microsporum canis
Trichophyton interdigitale (formerly known as *Trichophyton mentagrophytes*)

MILDEWICIDAL IN 4 MINUTES

Aspergillus brasiliensis

TUBERCULOCIDAL IN 1 MINUTE

Mycobacterium bovis (BCG)

BROAD-SPECTRUM NON-FOOD CONTACT SANITIZER IN 10 SECONDS

Acinetobacter baumannii
Campylobacter jejuni
Enterobacter aerogenes
Enterococcus faecalis (Vancomycin Resistant (VRE))
Escherichia coli O157:H7
Listeria monocytogenes
Pseudomonas aeruginosa
Salmonella enterica (formerly known as *Salmonella choleraesuis*)
Staphylococcus aureus
Staphylococcus aureus (Methicillin Resistant (MRSA))

SOFT SURFACE SANITIZER IN 30 SECONDS

Enterobacter aerogenes
Enterococcus faecalis (Vancomycin Resistant (VRE))
Staphylococcus aureus
Staphylococcus aureus (Methicillin Resistant (MRSA))

DISINFECTANT USE DIRECTIONS

HEAVILY SOILED SURFACES REQUIRE CLEANING PRIOR TO DISINFECTION

For Use as a One-Step Cleaner/Disinfectant:

1. Pre-clean visibly soiled areas.
2. Spray product onto hard, non-porous surfaces, until surface is visibly wet.
3. Allow surfaces to remain visibly wet for 1 minute.
4. Allow to air dry.

To Disinfect Non-Critical, Pre-Cleaned Instruments:

1. Instruments must be thoroughly pre-cleaned to remove excess organic debris, rinsed, and rough dried.
2. Spray product onto all hard, non-porous surfaces of instruments until visibly wet.
3. Allow surfaces to remain visibly wet for 1 minute.
4. Wipe with a clean, damp cloth or paper towel and allow to air dry.

Animal Housing Facilities in Veterinary Clinics and Hospitals:

For cleaning and disinfecting the following hard, non-porous surfaces: feeding and watering equipment, instruments, cages, kennels, stables, catteries, etc.

1. Remove all animals and feed from premises, animal transportation vehicles, crates, etc.
2. Remove all litter from floors, walls and surfaces of facilities occupied by animals.
3. Empty all feeding and watering appliances.
4. Thoroughly clean all surfaces with this product and rinse with potable water.
5. Saturate all hard, non-porous surfaces by spraying with solution 6-8 inches from surfaces until visibly wet. To disinfect, all surfaces must remain visibly wet for 1 minute.*
6. Do not house animals or employ equipment until treatment has been absorbed, set or dried.
7. For disinfection of automatic feeders and water appliances, spray with solution and allow surfaces to remain visibly wet for 1 minute. Then thoroughly scrub all treated surfaces with soap or detergent, and rinse with potable water before reuse.

To Kill Mold and Mildew:

1. Pre-clean surfaces by following the cleaner instructions listed below.
2. Spray product onto hard, non-porous surfaces until visibly wet.
3. Allow the surface to remain visibly wet for 4 minutes.
4. Allow to air dry.

To Control Mold and Mildew:

1. Spray product onto hard, non-porous surfaces until visibly wet.
2. Allow to air dry.
3. Repeat application weekly or when growth reappears.

Broad-Spectrum Sanitizing on Environmental Surfaces:

1. Pre-clean visibly soiled areas.
2. Spray product onto hard, non-porous surfaces.
3. Allow to remain wet for 10 seconds.
4. Wipe dry. No rinsing is required. Food contact surfaces require rinsing with potable water.

For Use as a Sanitizer on Soft Surfaces:

1. Hold bottle upright from surfaces.
2. Spray until fabric area is visibly wet. Do not saturate.
3. Allow surfaces to remain visibly wet for 30 seconds. Allow to air dry.
4. For difficult odors or heavy fabrics, repeat application. Reapply as necessary.

For Use as a Cleaner and/or Deodorizer:

1. Spray product onto hard, non-porous surfaces until surface is thoroughly wet.
2. Allow to air dry or rinse.

PRECAUTIONARY STATEMENTS

Avoid (i) contact with eyes; (ii) contamination of food in the application and storage of this product and; (iii) mixing with other cleaning or disinfecting products.

FIRST AID

If in contact with eyes, flush immediately and thoroughly with water. Call a physician if irritation persists. If ingested, call a physician or a poison control center immediately and do not induce vomiting. TAKE LABEL OR PRODUCT NAME AND DIN WITH YOU WHEN SEEKING MEDICAL ATTENTION.

STORAGE

Avoid storage at elevated temperatures.

DISPOSAL

For information on the disposal of unused, unwanted product and the clean-up of spills, contact the Provincial Regulatory Agency or the Manufacturer. Rinse the container with water. Dispose of container in accordance with municipal, provincial and federal regulations. Do not reuse containers.

DISCLAIMER: You must read and follow the instructions on the label for our product and use the product for the particular applications specified on the product label. To the full extent permitted under applicable law, Virox Technologies Inc. shall not be liable for any damages whatsoever, arising out of or otherwise in connection with any failure to follow those instructions or any use of its products which is not specified on the product's label. The instructions on the product label are not a warranty, express or implied, and Virox Technologies, Inc. expressly disclaims any implied warranties, including any warranty of fitness for a particular purpose. Under applicable law, some of the above waivers or disclaimers of warranty, or exclusions of liability for certain types of damages may not apply to you. In such cases, our liability will be limited to the fullest extent permitted by applicable law.

Accelerated Hydrogen Peroxide® and Design are trademarks of Diversey, Inc.

* Ventilate buildings and other closed spaces.